



Sales Tolerances for AP/Armaflex Sheet and Rolls

APR Rolls										
Nominal Thickness	Insulation Thickness (in)			Insulation Width (in)			Insulation Length (ft)			R Value
	Min.	Target	Max.	Min.	Target	Max.	Min.	Target	Max.	
APR18040	0.120	0.155	0.190	47.00	48.00	49.00	280.0	283.0	286.0	0.50
APR14040	0.240	0.275	0.310	47.00	48.00	49.00	140.0	143.0	146.0	1.00
APR38040	0.370	0.405	0.440	47.00	48.00	49.00	100.0	102.5	105.0	1.50
APR12040	0.490	0.525	0.560	47.00	48.00	49.00	70.0	72.0	74.0	2.10
APR34040	0.730	0.785	0.840	47.00	48.00	49.00	50.0	51.5	53.0	3.10
APR10040	0.980	1.025	1.070	47.00	48.00	49.00	35.0	36.0	37.0	4.20
APR11240	1.480	1.535	1.590	47.00	48.00	49.00	25.0	26.0	27.0	6.00
APR20040	1.980	2.035	2.090	47.00	48.00	49.00	18.0	18.5	19.0	8.00

APS Sheets										
Nominal Thickness	Insulation Thickness (in)			Insulation Width (in)			Insulation Length (in)			R Value
	Min.	Target	Max.	Min.	Target	Max.	Min.	Target	Max.	
APS18043	0.120	0.155	0.190	48.0	48.5	49.0	36.00	36.50	37.00	0.50
APS14043	0.240	0.275	0.310	48.0	48.5	49.0	36.00	36.50	37.00	1.00
APS38043	0.370	0.405	0.440	48.0	48.5	49.0	36.00	36.50	37.00	1.50
APS12043	0.490	0.525	0.560	48.0	48.5	49.0	36.00	36.50	37.00	2.10
APS34043	0.730	0.785	0.840	48.0	48.5	49.0	36.00	36.50	37.00	3.10
APS10043	0.980	1.025	1.070	48.0	48.5	49.0	36.00	36.50	37.00	4.20
APS11243	1.480	1.535	1.590	48.0	48.5	49.0	36.00	36.50	37.00	6.00
APS20043	1.980	2.035	2.090	48.0	48.5	49.0	36.00	36.50	37.00	8.00

Sales Tolerances for AP/Armaflex FS Sheet and Rolls										
AP FS Rolls										
Nominal Thickness	Insulation Thickness (in)			Insulation Width (in)			Insulation Length (ft)			R Value
	Min.	Target	Max.	Min.	Target	Max.	Min.	Target	Max.	
APR11240FS	1.480	1.535	1.590	48.0	48.5	49.0	25.0	26.0	27.0	6.00
APR20040FS	1.980	2.035	2.090	48.0	48.5	49.0	18.0	18.5	19.0	8.00

AP FS Sheets										
Nominal Thickness	Insulation Thickness (in)			Insulation Width (in)			Insulation Length (in)			R Value
	Min.	Target	Max.	Min.	Target	Max.	Min.	Target	Max.	
APS11243FS	1.480	1.535	1.590	48.0	48.5	49.0	36.00	36.50	37.00	6.00
APS20043FS	1.980	2.035	2.090	48.0	48.5	49.0	36.00	36.50	37.00	8.00

*These specifications are based on the measurement methods employed by Armacell. Other methods may not result in the same values and cannot be used to determine if the product is within the given tolerance.